

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (CANCELED)

2. (Currently Amended) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material
for fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer
electrolyte membrane;
a layer containing a biochemical catalyst which decomposes the material for
fuel to generate hydrogen, the layer being formed within the housing between the anode-
side supply inlet and the anode; and

~~A fuel cell according to claim 1 further comprising an anode-side collector and a cathode-side collector which sandwich the anode and the cathode therebetween, wherein the anode-side collector also serves as the layer containing the biochemical catalyst.~~

3. (CANCELED)

4. (CANCELED)

5. (Currently Amended) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for
fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer
electrolyte membrane;
a layer containing a biochemical catalyst which decomposes the material for fuel
to generate hydrogen, the layer being formed within the housing between the anode-side
supply inlet and the anode;
~~A fuel cell according to claim 1;~~
wherein the biochemical catalyst comprises a combination of Clostridium
butyricum and formate-hydrogen lyase.

6. (CANCELED)

7. (CANCELED)

8. (Currently Amended) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for
fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer
electrolyte membrane; ~~and~~
a layer containing a biochemical catalyst which decomposes the material for fuel
to generate fuel, the layer being formed within the housing between the anode-side
supply inlet and the anode;
wherein the biochemical catalyst comprises one or more selected from hydrogen-
generative anaerobic bacteria, hydrogen-generative yeasts, and hydrogen-generative
enzymes;
an anode-side collector and a cathode-side collector which sandwich the anode
and the cathode therebetween, wherein the anode-side collector also serves as the layer
containing the biochemical catalyst.

9. (Previously Presented) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the layer being formed between the anode-side supply inlet and the anode;

wherein the biochemical catalyst comprises a combination of *Clostridium butyricum* and formate-hydrogen lyase.

10. (Currently Amended) A fuel cell according to claim ~~8 or~~ 9 further comprising an anode-side collector and a cathode-side collector which sandwich the anode and the cathode therebetween, wherein the anode-side collector also serves as the layer containing the biochemical catalyst.

11. (Currently Amended) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed within the housing in the supply section, wherein the biochemical catalyst comprises one or more selected from hydrogen-generative bacteria, hydrogen-generative yeasts, and hydrogen-generative enzymes;

an anode-side collector and a cathode-side collector which sandwich the anode and the cathode therebetween, wherein the anode-side collector also serves as the layer containing the biochemical catalyst.

12. (Previously Presented) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and
a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section, wherein the biochemical catalyst comprises a combination of Clostridium butyricum and formate-hydrogen lyase.

13. (Currently Amended) A fuel cell according to claim ~~11~~ or 12 further comprising an anode-side collector and a cathode-side collector which sandwich the anode and the cathode therebetween, wherein the anode-side collector also serves as the layer containing the biochemical catalyst.

14. (CANCELED)

15. (CANCELED)

16. (CANCELED)

17. (CANCELED)

18. (Previously Presented) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and
a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section and being external to the housing;
wherein the biochemical catalyst comprises a combination of Clostridium butyricum and formate-hydrogen lyase.

19. (CANCELED)

20. (CANCELED)

21. (CANCELED)

22. (Currently Amended) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for
fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer
electrolyte membrane;

a layer containing a biochemical catalyst which decomposes the material for fuel
comprising one or more material(s) selected from methanol, formaldehyde and formic
acid, the layer being formed between the anode-side supply inlet and the anode;

~~A fuel cell according to claim 21 further comprising an anode-side collector and a~~
cathode-side collector which sandwich the anode and the cathode therebetween, wherein
the anode-side collector also serves as the layer containing the biochemical catalyst.

23. (CANCELED)

24. (CANCELED)

25. (Currently Amended) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for
fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer
electrolyte membrane;

a layer containing a biochemical catalyst which decomposes the material for fuel
comprising one or more material(s) selected from methanol, formaldehyde and formic
acid, the layer being formed between the anode-side supply inlet and the anode;

~~A fuel cell according to claim 21 or 23,~~ wherein the biochemical catalyst
comprises a combination of Clostridium butyricum and formate-hydrogen lyase.

26. (CANCELED)

27. (CANCELED)

28. (Previously Presented) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the layer being formed between the anode-side supply inlet and the anode,

wherein the biochemical catalyst comprises a combination of Clostridium butyricum and formate-hydrogen lyase, and the material for fuel is selected from oxygen-containing hydrocarbons such as alcohols, polysaccharides, aldehydes, ketones, and carboxylic acids.

29. (CANCELED)

30. (Previously Presented) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;

an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and

a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section;

wherein the biochemical catalyst comprises a combination of Clostridium butyricum and formate-hydrogen lyase, and the material for fuel is selected from oxygen-containing hydrocarbons such as alcohols, polysaccharides, aldehydes, ketones, and carboxylic acids.

31. (CANCELED)

32. (Previously Presented) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and
a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the layer being formed between the anode-side supply inlet and the anode;
wherein the biochemical catalyst comprises a combination of Clostridium butyricum and formate-hydrogen lyase, and the material for fuel is in the form of an aqueous solution.

33. (CANCELED)

34. (Previously Presented) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane; and
a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel to generate fuel, the filter being formed in the supply section;
wherein the biochemical catalyst comprises a combination of Clostridium butyricum and formate-hydrogen lyase, and the material for fuel is in the form of an aqueous solution.

35. (New) A polymer electrolyte fuel cell comprising:
a housing provided with an anode-side supply inlet for supplying a material for fuel, the anode-side supply inlet being connected to a supply section for supplying the material for fuel;
an anode and a cathode accommodated in the housing to sandwich a polymer electrolyte membrane;
a filter containing a layer containing a biochemical catalyst which decomposes the material for fuel comprising one or more material(s) selected from methanol, formaldehyde, and formic acid, the filter being formed in the supply section;
wherein the biochemical catalyst comprises a combination of *Clostridium butyricum* and formate-hydrogen lyase